



The trapezoidal map of  
non-crossing line segments



1

## Problem: Polygon Triangulation


Given a simple polygon  $P$  with  $n$  edges, compute a triangulation of its interior.



2

## Solution via Trapezoidal Map


Given a set  $S$  of  $n$  nonintersecting segments in the plane, compute its *trapezoidal map*.



3

## Trapezoidal Map


- planar graph, vertices  $V$ , edges  $E$ , faces  $F$
- $V$ : endpoints, artificial vertices
- $E$ : pieces of segments, vertical extensions
- $F$ : set of *trapezoids*, each one incident to at most 4 segments (assuming no two endpoints have the same  $x$ -coordinate)



4

## Randomized Incremental Construction

1. Compute trapezoidal map of  $\{s_1\} \mapsto T_1$




2. Insert segments  $s_2, \dots, s_n$  in random order  $\mapsto T_n$

5

From  $T_{r-1}$  to  $T_r$  (I)


**Find**




6

From  $T_{r-1}$  to  $T_r$  (II)

**Split**



**Merge**



7

From  $T_{r-1}$  to  $T_r$  (III)

1. **Find:** Find the trapezoid containing the left endpoint of  $s_r$
2. **Split:** Trace  $s_r$  through  $T_{r-1}$  and split all the trapezoids intersected by  $s_r$
3. **Merge:** Remove parts of vertical extensions "cut off" by  $s_r$  and merge the adjacent trapezoids


8

## RIC – Analysis (II)

Cost of step  $T_{r-1} \mapsto T_r$ :

- **Find**: we'll care for that later. . .

- **Split**: constant time per traced  $\square$ ;  $\square$  is replaced by at most 4 new trapezoids.



$\Rightarrow O(\text{number of removed trapezoids})$

$\Rightarrow O(\text{number of created trapezoids})$

- **Merge**:  $O(\text{number of trapezoids created in step Split})$

9

10

## RIC – Analysis (I)

Apply configuration spaces!

- $X$ : the set  $S$  of segments
- $\Pi$ : set of all trapezoids  $\square$  defined by segments of  $S$
- $D(\square)$ : the (at most 4) segments incident to the trapezoid  $\square$
- $K(\square)$ : the set of segments intersecting  $\square$

## Analysis of Update $T_{r-1} \mapsto T_r$ (I)

**Observation**: The number of trapezoids created by **Split** is at most twice as large as the number of new trapezoids in  $T_r$ .

**Proof**: For every **Merge** operation above (below)  $s_r$ , one new trapezoid below (above)  $s_r$  survives. It follows that at most half of the previously created trapezoids are not in  $T_r$ .

$\Rightarrow$  Complexity of **Split** and **Merge** is

$$O(|\{\square \mid \square \in T_r \setminus T_{r-1}\}|) = O(\deg(s_r, T_r)).$$

11

## Analysis of Update $T_{r-1} \mapsto T_r$ (II)

Configuration Spaces  $\Rightarrow$  expected value of  $\deg(s_r, T_r)$  is  $\leq \frac{4}{r}E(|T_r|)$ .

- $|T_r| = O(r)$  (Exercise)
- Expected update cost  $T_{r-1} \mapsto T_r$  is  $O(1)$
- Overall expected update cost is  $O(n)$

12

## Realization of **Find**

- History approach: store all the trapezoids of  $T_r, r = 1 \dots n$ .  $\square \in T_{r-1} \setminus T_r$  has pointers to all  $\square' \in T_r \setminus T_{r-1}$  with  $\square \cap \square' \neq \emptyset$
- At most 4 pointers per  $\square$
- Location of segment endpoint  $p_r$  of  $s_r$ : trace  $p_r$  through the history graph

13

## Analysis of **Find** (I)

Assume  $p_r$  runs through a trapezoid  $\square$  different from the bounding box. Then there is  $j \leq r$  such that  $\square$  is child of some  $\square'$  with

- $\square' \in T_{j-1} \setminus T_j$
- $s_r$  intersects  $\square'$

$\Rightarrow$  length of history path to  $p_r$

$$\begin{aligned} &\leq 1 + \sum_{j=1}^r \sum_{\square \in T_{j-1} \setminus T_j} [s_r \in K(\square)] \\ &\leq 1 + \sum_{j=1}^{n-1} \sum_{\square \in T_j \setminus T_{j-1}} [s_r \in K(\square)] \end{aligned}$$

$\Rightarrow$  expected time for history searches is proportional to  $(n \text{ plus})$  the expected number  $\sum_{r=1}^{n-1} K_r$  of conflicts that appear during the algorithm.

14

## Analysis of **Find** (II)

Configuration spaces  $\Rightarrow$

$$\begin{aligned} \sum_{r=1}^{n-1} K_r &\leq \sum_{r=1}^{n-1} (k_1 - k_2 + k_3) \\ &\leq d(n-1)t_1 + \\ &\quad d(d-1)n \sum_{r=1}^{n-1} \frac{t_{r+1}}{r(r+1)} - \\ &\quad d^2 \sum_{r=1}^{n-1} \frac{t_{r+1}}{r+1} \\ &= O(n \log n), \end{aligned}$$

because

$$t_{r+1} = E(|T_r|) = O(r+1).$$

15

## Trapezoidal Map – Conclusion


Given a set  $S$  of  $n$  nonintersecting segments in the plane, its trapezoidal map  $T(S)$  can be computed in time

$$O(n \log n).$$

(The assumption that segment endpoints have different  $x$ -coordinates can be achieved by comparing them lexicographically.)

16


Special Case:  $S$  forms simple polygon  $P$



17

## Trapezoidal Map $\rightarrow$ Triangulation (I)


**Step 1:** Within each trapezoid, connect the two polygon vertices



18

## Trapezoidal Map $\rightarrow$ Triangulation (II)

**Step 2:** Triangulate the resulting  $x$ -monotone polygons separately, in total time  $O(n)$  (Exercise)



19

## A fast method for the special case (I)

Runtime will be  $O(n \log^* n)$ .

- $\log^{(h)} n := \underbrace{\log \log \dots \log n}_{h \text{ times}}$
- $\log^* n := \max\{h \mid \log^{(h)} n \geq 1\}$
- Example:  $\log^*(2^{65536}) = 5 \Rightarrow \log^* n < 5$  "for all"  $n$ .

**Definition:**

$$N(h) := \left\lceil \frac{n}{\log^{(h)} n} \right\rceil, \quad 0 \leq h \leq \log^* n.$$

20

## A fast method for the special case (II)

Generalized history management: keep several histories and for each  $p \in P$  a pointer to the 'history in charge'.

```

compute  $T_1$  and initialize one
history, in charge of all points
FOR  $h = 1$  TO  $\log^* n$  DO
  FOR  $r = N(h-1) + 1$  TO  $N(h)$  DO
    compute  $T_r$  from  $T_{r-1}$  (* as usual *)
  END
  (* Renew histories by tracing  $S$  through  $T_r$  *)
  FOR ALL  $\square \in T_r$  containing an endpoint DO
    make  $\square$  the root of a history in charge
    of all the points it contains
  END
END
FOR  $r = N(\log^* n) + 1$  TO  $n$  DO
  compute  $T_r$  from  $T_{r-1}$  (* as usual *)
END

```

21

## Analysis of the fast method (I)

- **Split** and **Merge** proceed as before in expected time  $O(n)$
- **Find** will be faster on average, but we have
- $\log^* n$  additional **Trace** steps

22

## Analysis of **Find** (I)

In phase  $h$ , every trapezoid traced during the history search corresponds to a trapezoid that

- has been present in the beginning of phase  $h$  or was created during phase  $h$
- is in conflict with a segment inserted in phase  $h$

$\Rightarrow$  expected cost of history search is at most proportional to  $n + K_h$ ,

$$K_h := \sum_{r=N(h-1)+1}^{N(h)} \sum_{\square \in T_r \setminus T_{r-1}} |K(\square) \cap S_{N(h)}|.$$

23

## Analysis of **Find** (II)

For fixed  $X := S_{N(h)}$ ,  $E(K_h)$  is the expected number of conflicts appearing in steps  $N(h-1) + 1$  to  $N(h)$  when  $T(X)$  is computed.

$$i := N(h-1) + 1, \quad j := N(h) - 1.$$

*Configuration spaces analysis*  $\Rightarrow$

$$\begin{aligned}
E(K_h) &\leq \sum_{r=i}^j (k_1 - k_2 + k_3) \\
&\leq \frac{d(j+1-i)}{i} t_i + \\
&\quad d(d-1)(j+1) \sum_{r=i}^j \frac{t_{r+1}}{r(r+1)} - \\
&\quad d^2 \sum_{r=i}^j \frac{t_{r+1}}{r+1}.
\end{aligned}$$

24

## Analysis of **Find** (III)

Recall:

$$t_{r+1} = O(r + 1).$$

Then

$$\begin{aligned} E(K_h) &= O(N(h) - N(h-1)) + \\ &\quad O\left(N(h) \sum_{r=N(h-1)+1}^{N(h)-1} \frac{1}{r}\right) \\ &= O\left(N(h) + N(h) \log \frac{N(h)}{N(h-1)}\right) \\ &= O\left(N(h) + N(h) \log^{(h)} n\right) \\ &= O(n). \end{aligned}$$

(This also holds for a random set  $S_{N(h)}$  and for the last insertion phase ( $i = N(\log^* n) + 1, j = n - 1$ .) The total cost for **Find** over all  $h$  is then  $O(n \log^* n)$ .

25

## Analysis of **Trace** (I)

The expected cost  $T_h$  of tracing  $S$  through  $T_{N(h)}$  is at most proportional to the expected number of conflicts between trapezoids in  $T_{N(h)}$  and segments in  $S$ , which is

$$\frac{1}{\binom{n}{N(h)}} \sum_{R \subseteq S, |R|=N(h)} \sum_{y \in S \setminus R} |\{\square \in T(R) \mid y \in K(\square)\}|.$$

Up to a missing factor of  $d/N(h)$  this is exactly the bound for the expected number  $K_{N(h)}$  of new conflicts when  $s_{N(h)}$  is inserted that we derived from the *configuration spaces*.

26

## Analysis of **Trace** (II)

	configuration spaces	here
$k_1$	$\frac{d}{r}(n-r)t_r$	$(n-r)t_r$
$k_2$	$\frac{d}{r}(n-r)t_{r+1}$	$(n-r)t_{r+1}$
$k_3$	$\frac{d^2}{r(r+1)}(n-r)t_{r+1}$	$\frac{d}{r+1}(n-r)t_{r+1}$

Setting  $r = N(h)$ , we obtain  $T_h = k_1 - k_2 + k_3$  as

$$\begin{aligned} T_h &\leq (n - N(h))t_{N(h)} - \\ &\quad (n - N(h))t_{N(h)+1} + \\ &\quad \frac{d}{N(h)+1}(n - N(h))t_{N(h)+1} \\ &= O(n(t_{N(h)} - t_{N(h)+1}) + n) \\ &= O(n), \end{aligned}$$

because  $t_{N(h)} \leq t_{N(h)+1}$ .

The total cost for **Trace** over all  $h$  is then  $O(n \log^* n)$ .

27

## Fast Trapezoidal Map – Conclusion

Given a simple polygon  $P$  with  $n$  vertices in the plane, its trapezoidal map  $T(P)$  can be computed in time

$$O(n \log^* n).$$

(This is not optimal, because Chazelle has given a (rather complicated)  $O(n)$  algorithm for the problem.)

28